

BRICKWORK OVER OPENINGS GENERALLY

NOTE:
Provide 50mm wide strip of ladder mesh for 3 courses above all openings without control joints, and extend 300mm minimum past where possible.

STAIRCASE NOTE:

CUSTOMWOOD STAIRCASE SHOULD CHOOSE TO TILE STAIRCASE. A NON-SLIP RESISTANT STRIP SHALL BE INCORPORATED INTO TREAD SURFACE

SECTION - A

SCALE 1 : 50

PRELIMINARY DRAWING


Dated: 22 / 01 / 2008

SECTION THRU' JOB No:
 PROPOSED RESIDENCE:
 FOR: ROBERTS & DUFFIELD
 AT: LOT 21 TACOMA BOULEVARD
 PASADENA S.A.

AMENDMENTS:
 SHEET 07 OF 11

COPYRIGHT

These designs are copyright to BEECHWOOD DEVELOPMENTS P/L. Legal action will be taken against any infringement, in whole or part, unless prior written authority is obtained. Written dimensions take preference over scaled drawings. The Builder accepts no responsibility for any reliance what so ever, on scaled dimensions. Do not scale from this drawing.



BEECHWOOD HOMES

91 Halifax Street
 Adelaide S.A. 5000
 Telephone. (08) 7422 1100
 Facsimile. (08) 8132 1544
 Lic. No. BLD194281
 A.C.N. 114 563 058